


Half Mortise Standard Weight Plain Bearing

F167 – (ANSI A8233) Steel – polished and plated or phosphated and prime coated for painting



Measurements below



- For low frequency hollow metal or wood doors with channel iron frames (use ball bearing hinges on all doors equipped with door closers)
- Easily applied as only door leaf is mortised

Size Length of Joint		Width				Offset		Gauge of Metal		Quantity & Size of Screws/Per Piece		Quantity Per Box	Quantity Per Case	Case Weight	
		Frame Leaf (A)		Door Leaf (B)		(C)				Frame Leaf	Door Leaf				
Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)	Inches	(mm)					Lbs.	(Kg)
4 1/2	(114)	1 1/2	(38.1)	2 1/16	(52.4)	7/16	(11.1)	.134	(3.4)	4-12-24 x 1/2	3-12-24 x 1/2	3 ea.	30 ea.	28	(13)


Conversion Tips and Pins

- Converts standard flush tip hinges
- Available in three styles, Ball, Crown and Steeple
- Same tips fit "CB", "1900R" and "F" line hinges
- Conversion pins are stainless
- Conversion pins accept NRP screw
- Knurl eliminates pin rotation
- For heavy weight consult factory



Pin

Standard Weight Tips and Pins



Ball

Crown

Steeple

STANLEY®

6161 East 75th Street
Indianapolis, IN 46250 USA

Phone 855-365-2407

stanleyhardwarefordoors.com